Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6832319".pn. and random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 17:56
L2	1	"6832319".pn. and hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 17:58
L3	2	"6832319".pn. and identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:10
L4	843	random adj number with identification and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:01
L5	236	I4 and ("713"/$.ccls. or "380"/$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:05
L6	0	I4 and ("713"/$.ccls. or "380"/$.ccls.) with (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02
L7	0	I4 and ("713"/$.ccls. or "380"/$.ccls.) same (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02
L8	0	I4 and ("713"/$.ccls. or "380"/$.ccls.) with assign$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:02

L9	129	I4 and ("713"/$.ccls. or "380"/$.ccls.) and random adj number same (authenticat$3 or security)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:05
L11	2	"6832319".pn. and media adj identification	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:34
L12	2	"5940854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:34
L13	1968	713/193.ccls. 713/189.ccls. 713/200.ccls. and @ad<"20010717" and @pd>"20050325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:38
S3	604	access adj key and digital and error and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/25 10:56
S4	358	S3 and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:52
S5	837	713/193.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 10:08
S6	604	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:36

S7	2569	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:36
S8	4	S4 and (unauthorized adj copy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:54
S9	301	S4 and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:54
S10	205	S9 and error same access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:55
S11	183	S10 and protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 09:55
S12	32	S11 and content same protection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 10:07
S13	117	S5 and error$2 and copy and (content or data) and @ad<"20010714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 17:47
S14	23738	access and key and digital and error and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 14:59

S15	245	714/769.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 16:48
S16	0	Content adj Protection for digital media.ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/03 17:47
S17	2	"6580682".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 07:58
S18	2	S17 and (access or key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 08:01
S19	1	S18 and (number or cyclic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/04 08:03
S20	900	random adj number and digital and content and protection and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:04
S21	334	S20 and decrypt$3 same number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:04
S22	311	S21 and access and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:05

S23	241	S22 and access same key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:05
S24	186	S23 and error	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:06
S25	118	S24 and (unauthorized or pirate) and copy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:06
S26	76	stebbings.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:34
S27	22	stebbings and david.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/25 15:04
S28	2	"5412718".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 08:55
S29	2	"5513260".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:48
S30	2	"20020016919".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:48

S31	1	S30 and encrypt same decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 09:49
S32	1	S30 and decrypt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:09
S33	1	S30 and decrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:17
S34	1	S33 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33
S35	2	"6715122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33
S36	0	S35 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:33
S37	0	S30 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43
S38	2	"6684199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43

S39	0	S38 and cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:43
S40	2733	cyclic adj redundancy and error adj correction and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:44
S41	66	S40 and authoriz$5 and protection and digital and content	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:46
S42	49	S40 and incorrect same cyclic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/04 10:46
S43	2	"6715122".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/17 13:38
S44	0	S43 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:38
S46	4	"9808180".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:24
S47	9	bruce.in. and sollish.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:24

S48	47	dennis.in. and howe.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:55
S49	2	"5841749".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 14:40
S50	0	key near (correction adj information) same (error$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:44
S51	18	key same (correction adj information) same (error$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 10:56
S52	2	"5838695".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:43
S53	1	key near (correction adj information) same (error$2 or incorrect) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45
S54	491	705/57.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45
S55	369	S54 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:45

S56	84	S55 and error$2 near correct$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:46
S57	68	S56 and key$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 15:46
S58	7	error adj correction near (incorrect or intention$4 or insert$4) and key and (disk or disc) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:31
S59	25	copy$4 near protect$4 and key and error adj correction adj information and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:33
S60	25	trung.in. and le.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:57
S61	17	S60 and @ad<"20010718"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:58
S62	1	roger.in. and culhane.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 08:58
S63	2	"6311305".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:05

S64	1	S63 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 09:05
S65	9	(identifier or serial adj number or authenticator) same (correction adj information) same (error$2 or incorrect) and (disc or disk) and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:00
S66	18	(identifier or serial adj number or authenticator) same (correction adj information) same (error$2 or incorrect) and @ad<"20010717" not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:05
S67	122	(identifier or serial adj number or authenticator or key) same (correction adj information) and @ad<"20010717" not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:17
S68	12	S67 and ((cop$4 near protect$4) or pira$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:06
S69	110	S67 not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:07
S70	23	S69 and (disc or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:07
S71	2384	(identifier or serial adj number or authenticator or key) same (error$2 near correct$4) and @ad<"20010717" not S65 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18

S72	69	(identifier or serial adj number or authenticator or key) near (error$2 near correct$4) and @ad<"20010717" not S65 not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 11:18
S73	2	"6684199".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:23
S74	1	S73 and track$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:23
S75	0	hash$2 near random adj number$2 near key$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:36
S76	10	hash$2 near number$2 near key$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:38
S77	0	hash$2 near number$2 near key$2 same decrypt$4 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:37
S78	289	decrypt$4 near key same hash$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:38
S79	131	S78 and random adj number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 13:39

S80	59	S79 and random adj number same hash$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:05
S81	7	hash$2 near random same decrypt$3 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:10
S82	143	hash$2 near decrypt$3 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:10
S83	23	hash$2 near decrypt$3 same number$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:13
S84	1	"6832319".pn. and decrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:49
S85	2	"6832319".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:49
S86	1	S85 and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:49
S87	2	"6311305".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:56

S88	0	S87 and cyclic adj redundancy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 14:56
S89	0	"6684199".pn. and cyclic adj redundancy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/03/25 15:04
S90	4254	713/193.ccls. 713/189.ccls. 713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/16 18:38
S91	111	S90 and @ad<"20010717" and @pd>"20041103"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/25 16:49
S92	2	"5940854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 07:59
S93	8521	key$2 with error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:00
S94	0	key$2 with error adj correct$3 with intentional adj error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01
S95	0	key$2 with error adj correct$3 with intentional$3 adj error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01

S96	0	key$2 with correct$3 with intentional$3 adj error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:01
S97	1578	key$2 with correct$3 with error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:02
S98	8	key$2 with correct$3 with error$2 with intentional$3 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:04
S99	44	key$2 with correct$3 with error$2 with (intentional$3 or predetermin$3) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:08
S10 0	9	key$2 with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$3 or predetermin$3) near2 error$2 and @ad<"20010717"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:10
S10 1	1	key$2 with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$3 or predetermin$3) near2 error$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:12
S10 2	6	key$2 same (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$3 or predetermin$3) near2 error$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:16
S10 3	813	(error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$3 or predetermin$3) near2 error$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:17

S104	912	key with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:18
S105	3	key with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with insert$3 near2 error$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:42
S106	3	"2001014794".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:39
S107	2	(yabuno near2 hiroyuki).in. and (shinichi near2 tanaka).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:40
S108	572	key with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with error$2 and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:45
S109	11	key with (error adj correct$3 or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with error$2 same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 08:46
S110	12	key with (error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with error$2 same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:02
S111	1	key with (error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$4 or false or inaccurate or incorrect) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:03

S11 2	5	key same (error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (intentional$4 or false or inaccurate or incorrect) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:03
S11 3	54	key same (error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:09
S11 4	2224	(error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:14
S11 5	2	cipher with (error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:10
S11 6	6	(error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with intentional$3 near2 (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:29
S11 7	13	(error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with predetermined near2 (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:22
S11 8	5	(error adj correct$3 or correction or ecc or crc or cyclic adj redundancy or cross adj interleav$2) with insert$3 near2 (error$3) same (cop$4) and @ad<"20010717" not S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:22
S11 9	0	"6715122".pn. and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:26

S120	12	"6353890".pn. "5761301".pn. "5659613".pn. "5548595".pn. "5408531".pn. "5148431".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/01 09:30